




## Plastic Tube Container BlockPack

**Square telescopic packaging tubes with twist lock closure feature and ratchet length adjustment**

### Material

→ Polyethylene (PE)

### Product Range

→ PE natural

→ outer parts and inner parts are packed separately

### Production environment

→ numerous sizes available in cleanroom production

### Product features BlockPack

- highly secure bayonet-type twist lock closure, requires minimal force in opening and closing the pack
- contoured tube ends and lateral support grooves are integrated together to provide a cushioning effect
- with ratchet length adjustment
- ergonomic product design offer shape stability
- speedy handling
- safe transportation
- excellent for stacking and storage
- durable and reusable
- can be used as primary or secondary packaging

The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.

## Product Range: BlockPack

Production Environment

 Cleanroom production  Industrial standard / Cleanroom production upon request

| Article   | Inner diam. | Usable length adjustable | Packaging Unit | Production Environment                                                              |
|-----------|-------------|--------------------------|----------------|-------------------------------------------------------------------------------------|
| BK 8 050  | 8mm         | 50 - 80mm                | 3000           |    |
| BK 8 080  | 8mm         | 80 - 120mm               | 3000           |    |
| BK 8 120  | 8mm         | 120 - 200mm              | 1500           |    |
| BK 8 200  | 8mm         | 200 - 350mm              | 2000           |    |
| BK 10 050 | 10mm        | 50 - 80mm                | 2100           |    |
| BK 10 080 | 10mm        | 80 - 120mm               | 2000           |    |
| BK 10 120 | 10mm        | 120 - 200mm              | 1170           |    |
| BK 10 200 | 10mm        | 200 - 350mm              | 1100           |    |
| BK 12 050 | 12mm        | 50 - 80mm                | 2200           |    |
| BK 12 080 | 12mm        | 80 - 120mm               | 1550           |    |
| BK 12 120 | 12mm        | 120 - 200mm              | 800            |    |
| BK 12 200 | 12mm        | 200 - 350mm              | 800            |    |
| BK 12 250 | 12mm        | 250 - 460mm              | 700            |  |
| BK 14 050 | 14mm        | 50 - 80mm                | 1700           |  |
| BK 14 080 | 14mm        | 80 - 120mm               | 1100           |  |
| BK 14 120 | 14mm        | 120 - 200mm              | 800            |  |
| BK 14 200 | 14mm        | 200 - 350mm              | 600            |  |
| BK 16 050 | 16mm        | 50 - 80mm                | 1600           |  |
| BK 16 080 | 16mm        | 80 - 120mm               | 850            |  |
| BK 16 120 | 16mm        | 120 - 200mm              | 1200           |  |
| BK 16 200 | 16mm        | 200 - 350mm              | 1200           |  |
| BK 18 050 | 18mm        | 50 - 80mm                | 1300           |  |
| BK 18 080 | 18mm        | 80 - 120mm               | 850            |  |
| BK 18 120 | 18mm        | 120 - 200mm              | 1050           |  |
| BK 18 200 | 18mm        | 200 - 350mm              | 400            |  |
| BK 20 050 | 20mm        | 50 - 80mm                | 1200           |  |
| BK 20 080 | 20mm        | 80 - 120mm               | 1300           |  |
| BK 20 120 | 20mm        | 120 - 200mm              | 900            |  |
| BK 20 200 | 20mm        | 200 - 350mm              | 800            |  |
| BK 20 350 | 20mm        | 350 - 620mm              | 500            |  |
| BK 22 050 | 22mm        | 50 - 80mm                | 1000           |  |
| BK 22 080 | 22mm        | 80 - 120mm               | 1200           |  |
| BK 22 120 | 22mm        | 120 - 200mm              | 800            |  |
| BK 22 200 | 22mm        | 200 - 350mm              | 600            |  |
| BK 24 050 | 24mm        | 50 - 80mm                | 750            |  |
| BK 24 080 | 24mm        | 80 - 120mm               | 1000           |  |
| BK 24 120 | 24mm        | 120 - 200mm              | 700            |  |

| Article   | Inner diam. | Usable length adjustable | Packaging Unit | Production Environment                                                                |
|-----------|-------------|--------------------------|----------------|---------------------------------------------------------------------------------------|
| BK 24 200 | 24mm        | 200 - 350mm              | 550            |    |
| BK 26 050 | 26mm        | 50 - 60mm                | 700            |    |
| BK 26 060 | 26mm        | 60 - 80mm                | 700            |    |
| BK 26 080 | 26mm        | 80 - 120mm               | 850            |    |
| BK 26 120 | 26mm        | 120 - 200mm              | 600            |    |
| BK 26 200 | 26mm        | 200 - 350mm              | 450            |    |
| BK 26 350 | 26mm        | 350 - 620mm              | 288            |    |
| BK 32 050 | 32mm        | 50 - 70mm                | 1200           |    |
| BK 32 060 | 32mm        | 60 - 80mm                | 800            |    |
| BK 32 080 | 32mm        | 80 - 120mm               | 600            |    |
| BK 32 120 | 32mm        | 120 - 200mm              | 400            |    |
| BK 32 200 | 32mm        | 200 - 350mm              | 360            |    |
| BK 32 350 | 32mm        | 350 - 620mm              | 140            |  |
| BK 35 050 | 35mm        | 50 - 70mm                | 900            |  |
| BK 35 060 | 35mm        | 60 - 80mm                | 700            |  |
| BK 35 080 | 35mm        | 80 - 120mm               | 500            |  |
| BK 35 120 | 35mm        | 120 - 200mm              | 300            |  |
| BK 35 200 | 35mm        | 200 - 350mm              | 300            |  |
| BK 35 350 | 35mm        | 350 - 620mm              | 159            |  |
| BK 40 080 | 40mm        | 80 - 120mm               | 450            |  |
| BK 40 120 | 40mm        | 120 - 200mm              | 300            |  |
| BK 40 200 | 40mm        | 200 - 350mm              | 240            |  |
| BK 40 350 | 40mm        | 350 - 620mm              | 120            |  |
| BK 45 060 | 45mm        | 60 - 80mm                | 450            |  |
| BK 45 080 | 45mm        | 80 - 120mm               | 350            |  |
| BK 45 120 | 45mm        | 120 - 200mm              | 275            |  |
| BK 45 200 | 45mm        | 200 - 350mm              | 160            |  |
| BK 45 200 | 45mm        | 200 - 350mm              | 1000           |  |
| BK 45 350 | 45mm        | 350 - 620mm              | 90             |  |
| BK 55 060 | 55mm        | 60 - 80mm                | 250            |  |
| BK 55 080 | 55mm        | 80 - 120mm               | 200            |  |
| BK 55 120 | 55mm        | 120 - 200mm              | 200            |  |
| BK 55 200 | 55mm        | 200 - 350mm              | 100            |  |
| BK 55 350 | 55mm        | 350 - 620mm              | 70             |  |
| BK 65 080 | 65mm        | 80 - 120mm               | 210            |  |
| BK 65 120 | 65mm        | 120 - 200mm              | 120            |  |
| BK 65 200 | 65mm        | 200 - 350mm              | 90             |  |

| Article   | Inner diam. | Usable length adjustable | Packaging Unit | Production Environment                                                            |
|-----------|-------------|--------------------------|----------------|-----------------------------------------------------------------------------------|
| BK 65 350 | 65mm        | 350 - 620mm              | 48             |  |
| BK 75 080 | 75mm        | 80 - 120mm               | 168            |  |
| BK 75 120 | 75mm        | 120 - 200mm              | 96             |  |
| BK 75 200 | 75mm        | 200 - 350mm              | 58             |  |
| BK 85 080 | 85mm        | 80 - 120mm               | 90             |  |
| BK 85 120 | 85mm        | 120 - 200mm              | 72             |  |
| BK 85 200 | 85mm        | 200 - 350mm              | 48             |  |
| BK 85 350 | 85mm        | 350 - 620mm              | 30             |  |
| BK 85 550 | 85mm        | 550 - 1000mm             | 20             |  |

| Article    | Inner diam. | Usable length adjustable | Packaging Unit | Production Environment                                                              |
|------------|-------------|--------------------------|----------------|-------------------------------------------------------------------------------------|
| BK 95 080  | 95mm        | 80 - 120mm               | 80             |  |
| BK 95 120  | 95mm        | 120 - 200mm              | 60             |  |
| BK 95 200  | 95mm        | 200 - 350mm              | 30             |  |
| BK 95 350  | 95mm        | 350 - 620mm              | 20             |  |
| BK 105 080 | 105mm       | 80 - 120mm               | 80             |  |
| BK 105 120 | 105mm       | 120 - 200mm              | 48             |  |
| BK 105 200 | 105mm       | 200 - 350mm              | 30             |  |
| BK 105 350 | 105mm       | 350 - 620mm              | 20             |  |